

SAFETY DATA SHEET

CONQUEROR HERBICIDE

Infosafe No.: 3NUYO ISSUED Date : 05/05/2022

ISSUED by: NUFARM AUSTRALIA LIMITED.

Section 1 - Identification

Product Identifier

CONQUEROR HERBICIDE

Product Code

0936

Product Type

Group I Herbicide

Company Name

NUFARM AUSTRALIA LIMITED. (ABN 80 004 377 780)

Address

103-105 Pipe Road Laverton North Victoria 3026 AUSTRALIA

Telephone/Fax Number

Tel: +61 3 9282-1000 Fax: +61 3 9282-1001

Emergency Phone Number

1800 033 498 (24hr Australia)

Emergency Contact Name

www.nufarm.com.au

E-mail Address

SDSANZ@nufarm.com

Recommended use of the chemical and restrictions on use

For the control of environmental and noxious woody and herbaceous weeds as specified in the Directions for Use Table on the label.

Additional Information

This Safety Data Sheet describes the properties of the concentrated product.

The physical properties and the assessments may not apply to the properties of the product once it has been diluted for application.

Section 2 - Hazard(s) Identification

GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Complies with the requirements of Special Provision AU01 and therefore exempted from being classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Classified as Dangerous Goods according to International Maritime Dangerous Goods Code (IMDG) and International Air Transport Association (IATA).

Flammable liquids: Category 4
Sensitisation - skin: Category 1
Eye damage/irritation: Category 2
Acute toxicity: Category 4 - Oral

Hazardous to the Aquatic Environment - Acute Hazard: Category 1 Hazardous to the Aquatic Environment - Long-Term Hazard: Category 1

Signal Word (s)

WARNING

Hazard Statement (s)

H227 Combustible liquid.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Pictogram (s)

Environment, Exclamation mark



Precautionary Statement - Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement - Response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use appropriate media to extinguish.

P391 Collect spillage.

Precautionary Statement - Storage

P403 Store in a well-ventilated place.

Precautionary Statement - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Section 3 - Composition and Information on Ingredients

Ingredients

Name	CAS	Proportion
Triclopyr (present as the butoxyethyl ester)	64700-56-7	<30 %
Picloram (present as hexyloxypropylamine salt)	1918-02-1	<10 %
Ingredients determined not to be hazardous		Balance

Section 4 - First Aid Measures

Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

Eye

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

Section 5 - Firefighting Measures

Suitable Extinguishing Media

Water fog, foam, carbon dioxide or dry chemical.

Unsuitable Extinguishing Media

Strong water jet.

Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases, including oxides of nitrogen, hydrogen chloride, phosgene, carbon monoxide and carbon dioxide.

Specific hazards arising from the chemical

Combustible. This product will burn if exposed to fire.

Decomposition Temperature

Not available

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

Section 6 - Accidental Release Measures

Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

This product is a herbicide and spills can damage crops, pastures and desirable vegetation. Use earthen bunds or absorbent bunding to prevent spreading of spillage.

Section 7 - Handling and Storage

Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

Thoroughly flush all spray equipment with water following the use of this product and before use with other products.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from sources of ignition, foodstuffs, seed, fertilisers, clothing and incompatible materials such as oxidising agents. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

Storage Regulations

Classified as a Class C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940 (2017) The storage and handling of flammable and combustible liquids.

Section 8 - Exposure Controls and Personal Protection

Occupational exposure limit values

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below.

Picloram

TWA: 10 mg/m³

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eighthour working day, for a five-day week.

Source: Safe Work Australia

Biological Monitoring

No biological limits allocated.

Control Banding

Not available

Engineering Controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements. Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye and Face Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material such as elbow-length PVC gloves. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Thermal Hazards

No further relevant information available.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist and a washable hat are recommended. Chemical resistant apron is recommended where large quantities are handled.

Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Liquid	Appearance	Liquid
Colour	Amber	Odour	Not available
Melting Point	Not available	Boiling Point	Not available
Decomposition Temperature	Not available	Solubility in Water	Disperses
Specific Gravity	1.144	рН	Not available
Vapour Pressure	0.48 mPa (triclopyr butoxyethyl ester); 0.00001 mPa (picloram).	Relative Vapour Density (Air=1)	Not available
Evaporation Rate	Not available	Odour Threshold	Not available
Viscosity	Not available	Volatile Component	Not available
Partition Coefficient: n- octanol/water (log value)	Not available	Flash Point	93°C
Flammability	Combustible	Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available	Flammable Limits - Upper	Not available
Particle Characteristics	Not applicable		

Section 10 - Stability and Reactivity

Reactivity

Reacts with incompatible materials.

Chemical Stability

Stable under normal conditions of storage and handling.

Possibility of hazardous reactions

Not available

Conditions to Avoid

Heat, flames and other sources of ignition.

Incompatible Materials

Strong oxidising materials.

Hazardous Decomposition Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases, including oxides of nitrogen, hydrogen chloride, phosgene, carbon monoxide and carbon dioxide.

Hazardous Polymerization

Will not occur.

Section 11 - Toxicological Information

Toxicology Information

Toxicity data for product is given below.

Acute Toxicity - Oral

LD50 (rat): 803 mg/kg (triclopyr butoxyethyl ester)

LD50 (rat): >5000 mg/kg (picloram acid)

Acute Toxicity - Dermal

LD50 (rabbit): >2000 mg/kg (triclopyr butoxyethyl ester)

LD50 (rabbit): >2000 mg/kg (picloram acid)

Acute Toxicity - Inhalation

LC50 (rat): >4.8 mg/l/4h (triclopyr butoxyethyl ester) LC50 (rat): >1.63 mg/l/4h (similar picloram salt)

Ingestion

Harmful if swallowed. Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea. Ingestion of the concentrate in relatively large amounts can result in headache, nausea, lethargy, motor weakness and incoordination.

Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system. The components of the product are of low volatility and no adverse effects are expected from handling the concentrate.

Skin

May be irritating to skin. The symptoms may include redness, itching and swelling. May cause an allergic skin reaction.

Eye

Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

Respiratory Sensitisation

Not expected to be a respiratory sensitiser.

Skin Sensitisation

May cause an allergic skin reaction.

Germ Cell Mutagenicity

Not considered to be a mutegenic hazard.

Carcinogenicity

Not considered to be a carcinogenic hazard.

Picloram is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

Triclopyr has been assessed in animals and some data exists that triclopyr is a substance which causes some concern for humans owing to possible carcinogenic effects from long term exposure, but in respect of which the available information is not adequate for making a satisfactory assessment.

Reproductive Toxicity

Not considered to be toxic to reproduction.

STOT - Single Exposure

Not expected to cause toxicity to a specific target organ.

STOT - Repeated Exposure

Not expected to cause toxicity to a specific target organ.

Aspiration Hazard

Not expected to be an aspiration hazard.

Other Information

The Australian Acceptable Daily Intake (ADI) for triclopyr for a human is 0.005 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. ADI for picloram is 0.07 mg/kg/day, NOEL 7 mg/kg/day. (Ref: Australian Pesticides and Veterinary Medicines Authority (APVMA) March 2022)

Section 12 - Ecological Information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Triclopyr butoxyethyl ester is rapidly hydrolysed to Triclopyr acid in soil and water. Triclopyr acid is degraded by microbial action and photodecomposition. Triclopyr acid, in soil, has a half-life of approximately forty days, depending on soil and climatic conditions. In water, Triclopyr acid will decompose rapidly with a half-life of one to two days. Minimal leaching of Triclopyr acid may occur in light soils under high rainfall conditions. Contamination of ground water by Triclopyr is highly unlikely. If used according to the label, Conqueror will not be harmful to the environment.

Mobility

Not available

Bioaccumulative Potential

Not available

Other Adverse Effects

Not available

Environmental Protection

Spray drift should be avoided, read the label for more information. Do not discharge this material into waterways, drains and sewers. Do not spray in high winds.

Acute Toxicity - Fish

Triclopyr butoxyethyl ester

LC50 (rainbow trout): 0.65 mg/l/96h LC50 (bluegill sunfish): 0.39 mg/l/96h

Similar picloram salt

LC50 (rainbow trout): 26 mg/l/96h LC50 (bluegill sunfish): 24 mg/l/96h

Acute Toxicity - Daphnia

Triclopyr butoxyethyl ester LC50 (daphnia): 12 mg/l/48h

Similar picloram salt

LC50 (daphnia): 64 mg/l/48h for a similar picloram salt.

Acute Toxicity - Other Organisms

Triclopyr and picloram LD50 (bees): >100 μg/bee. Triclopyr butoxyethyl ester LD50 (bobwhite quail): 735 mg/kg

Similar picloram salt

LD50 (bobwhite quail): >2000 mg/kg

Hazardous to the Ozone Layer

This product is not expected to deplete the ozone layer.

Section 13 - Disposal Considerations

Disposal Considerations

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. To minimise personal exposure to the chemical, refer to Section 8 — Exposure controls and personal protection.

Product Disposal:

On site disposal of the concentrated product is not acceptable. Ideally, the product should be used for its intended purpose. On site disposal of the concentrated product is not acceptable.

Container Disposal

Do not use this container for any other purpose. Triple or preferably pressure rinse inner bladder or containers before disposal. Add rinsings to the spray tank. drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMUSTER symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, puncture or shred and bury containers in local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Returnable containers: empty contents fully into application equipment. Replace cap, close all valves and return to the point of supply for refill or storage.

Section 14 - Transport Information

Transport Information

Road and Rail Transport (ADG Code):

This product complies with the requirements of Special Provision AU01 and is therefore exempted from being classified as Dangerous Goods according to the ADG Code.

Note: Special Provision AU01:

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Class/Division: 9 UN No: 3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS: Triclopyr)

Packing Group: III EMS: F-A, S-F

Special Provisions: 274, 335, 969

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Class/Division: UN No: 3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (contains: Triclopyr)

Packing Group: III

Packaging Instructions (passenger & cargo): 964

Packaging Instructions (cargo only): 964

Hazard Label: Miscellaneous Special Provisions: A97, A158, A197

ADG U.N. Number None Allocated

ADG Proper Shipping Name

None Allocated

ADG Transport Hazard Class

None Allocated

Special Precautions for User

Not available

IMDG Marine pollutant

Yes

Transport in Bulk

Not available

Section 15 - Regulatory Information

Regulatory Information

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). Flammable liquid, category 4 according to WHS Schedule 11, item 9.

Poisons Schedule

S6

Montreal Protocol

Not listed

Stockholm Convention

Not listed

Rotterdam Convention

Not listed

International Convention for the Prevention of Pollution from Ships (MARPOL)

Not available

Agricultural and Veterinary Chemicals Act 1994

Not available

Basel Convention

Not available

Other Information

This product is registered with the Australian Pesticides and Veterinary Medicines Authority (APVMA). APVMA product number: 57783.

Section 16 - Any Other Relevant Information

Date of Preparation

SDS created: April 2022

Version Number

1.0

Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals. (7th revised edition)

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

Contact Person/Point

Normal hours: SDS coordinator : Phone +61 3 9282 1000 After hours: Shift supervisor : Phone 1800 033 498

User Codes

User Title Label	User Codes
Field 4	Υ

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.