

All Clear®

Spray Tank Cleaner and Decontaminator

A balanced liquid formulation containing sequestrants, surfactants and detergents.

ALL CLEAR® is specially formulated to remove pesticide deposits and other debris, including oily substances from tanks, hoses, booms, transfer and mixing systems, filters, screens and nozzles.

ALL CLEAR was developed to handle difficult to clean agricultural chemicals, including sulfonyleurea herbicides, carfentrazone-ethyl and sticky formulations.

AgNova Technologies Pty Ltd

Suite 10 Victoria Square

857 Doncaster Road

East Doncaster, 3109

Phone (03) 9840 2333

www.agnova.com.au



Net Contents **10 Litres**

DIRECTIONS FOR USE

GENERAL INFORMATION

ALL CLEAR can be used to clean and decontaminate tanks, spray lines, transfer pumps, flushing or pre-mixing tanks. It should always be used when switching from one herbicide to another, or a herbicide to a fungicide, fertiliser or insecticide, and at the end of season sprayer clean up.

USE RATE

Decontamination and removal of pesticide deposits including sulfonyleurea (Group B) and carfentrazone-ethyl (Group G) herbicides, combinations or sticky formulations:	Use 500 mL per 100 L of water.
--	--------------------------------

DECONTAMINATION PROCEDURE

1. Immediately after spraying, drain all equipment including tank, hoses and booms completely. Any contamination on the outside of spraying equipment should be removed by washing down with a fresh solution of **ALL CLEAR** and water (50 mL in 10 L of water).
2. Rinse inside of tank clear of visible residues with clean water and flush through hoses and booms using at least 1/10 of tank spray volume. Drain tank completely and dispose of rinsate as per instructions.
3. Half fill the tank with clean water and add **ALL CLEAR** at 500 mL per 100 L of the total volume of the tank, as indicated in Table 1. Agitate and briefly flush the hoses and booms until the cleaning solution starts to come out through all the nozzles. Then completely fill tank with water and allow to stand for 15 minutes with agitation running. Again flush the hoses and spray all of the solution out through the booms so that the tank is completely drained. The rinsate should be disposed of as per instructions.

NOTE: If it is not possible to drain the tank completely, repeat step 3 before going onto step 4.

For very large sprayers with internal sprinklers it is not necessary to completely fill the tank. With agitation and sprinklers running ensure contact time between the cleaning solution and all internal tank surfaces of 15 to 30 minutes.

NOTE: For extra "sticky" combinations such as carfentrazone-ethyl plus glyphosate allow the cleaning solution to remain in contact with all internal surfaces of the spray equipment for 24 hours to increase residue removal. If it is suspected that hoses and spray lines are contaminated, contact time with the cleaning solution should be increased to 48 hours.

The surfaces of old and perished hoses have the ability to hold high levels of pesticide residues and should be replaced.

4. Nozzles, screens and filters should be cleaned separately with a fresh solution of **ALL CLEAR** and water (50 mL in 10 L of water).
5. After following the **ALL CLEAR** cleaning process above, the tank should be rinsed with clean water, and hoses and booms flushed through. The tank should be drained completely and the rinsate disposed of as per instructions.

6. A susceptible plant should be treated with a sample of the final rinsate to determine whether residues remain.

Table 1:

Tank Volume	ALL CLEAR Qty
500 litres	2.5 litres
1,000 litres	5.0 litres
2,000 litres	10.0 litres
3,000 litres	15.0 litres
4,000 litres	20.0 litres

STORAGE AND DISPOSAL

Keep away from food, drink and animal feed stuffs. Keep out of reach of children. Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Do not allow product to freeze.

RINSATE DISPOSAL

Rinsate should be disposed of by spraying onto a crop approved for the product(s) being removed from the spray tank, or via an alternate approved method.

PRECAUTIONS for Operator Protection

Irritating to eyes and skin.

Wear suitable gloves and eye/face protection.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

AgNova Technologies Pty. Ltd. shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty. Ltd. for breach of any such statutory warranties and conditions cannot be lawfully excluded but may be limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty. Ltd. for any breach of such statutory warranty or condition is so limited.

*Registered trademark of Amega Science plc



ACL101109