


CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



DELTAMETHRIN 10 RESIDUAL INSECTICIDE

GROUP	3A	INSECTICIDE
-------	-----------	-------------

Active Constituent: 10g/L Deltamethrin

For the control of a range of insect pests in
Various situations as per the
Directions for Use table.

IMPORTANT: READ THE ATTACHED INSTRUCTIONS BEFORE USE

A & C Rural Pty Ltd
ABN 52 010 865 317
Lot 96 Potassium Street
Narangba Qld 4504
Ph: (07) 3203 3944

D.O.M.:

Contents:** Litres

Batch no:

NRA Approval no: 53349/

** THIS LABEL IS TO BE USED FOR 1L, 2.5L, 5L, 10L, 20L, 110L, 200L and 1000L
pack sizes

GENERAL INSTRUCTIONS:**GROUP 3A INSECTICIDE**

For insecticide resistance management, Country Deltamethrin 10 Residual Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to Country Deltamethrin 10 and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Country Deltamethrin 10 or other Group 3A insecticides are used repeatedly. The effectiveness of Country Deltamethrin 10 on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, A & C Rural Pty Ltd accepts no liability for any losses that may result from the failure of Country Deltamethrin 10 to control resistant insects. Country Deltamethrin 10 may be subject to specific resistance management strategies. For further information, contact your local supplier or A & C Rural representative.

MIXING / APPLICATION

Shake original container before use. Periodically agitate suspension during application to ensure thorough mixing.

For best results, form a premix of the required amount of product with an equal volume of water. Stir thoroughly. Add to spray tank and dilute with remaining amount of water. Agitate thoroughly.

Do not store diluted insecticide. Prepare a fresh solution as necessary.

Do not spray the moving parts of any machinery, electric motors or switchgear with the water-based product.

PRECAUTIONS:

Avoid contact with food, food utensils, or places where food is prepared or stored.

BEFORE USE – remove or cover all exposed foodstuffs. Cover all dishes and utensil, and places where food is prepared or stored.

AFTER USE - thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

Surface treatment only - do not spray into the air.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple rinse or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if swallowed. Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves and face shield. If product on skin, immediately wash areas with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Ph: 13 11 26).

MATERIAL SAFETY DATA SHEET

Additional Information is listed in the Material Safety Data Sheet available from A & C Rural Pty Ltd upon request.

CONDITIONS OF SALE:

The use of Country Deltamethrin 10 Residual Insecticide being beyond the control of the manufacturer, no warranty expressed or implied is given by A & C Rural Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and A & C Rural Pty Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

THIS PRODUCT IS NOT CLASSIFIED AS A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD AND RAIL
IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE

BAR CODE DETAILS

DIRECTIONS FOR USE:**RESTRAINT – DO NOT apply spray treatment outdoors if rain is imminent.**

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, commercial, industrial and public buildings	Ants, cockroaches, fleas, silverfish, spiders	Initial treatment 150mL	On non-porous surfaces dilute with 5L of water and apply as a coarse spray at a rate of 5L per 100 m2 not exceeding the point of run-off.
	Bed bugs, bird mites, carpet beetles, clothes moths <u>Not Vic.</u>	Maintenance treatments 75mL	On porous surfaces or use through power equipment, dilute with 10L of water and apply per 100 m2 of surface, not exceeding the point of run-off.
	Mosquitoes <u>Not NSW, Vic.</u>	75mL	
	Houseflies <u>Not Vic.</u>		
Wildflowers for export	Quarantine pets <u>WA only</u>	250mL per 100L water	Flowers must be totally submerged in the diluted product for not less than 1 minute and then left to dry naturally for 2 hours
For short term protection of freshly felled pine logs prior to debarking	Five-spined bark beetle <i>(Ips grandicollis)</i>	100mL	Dilute with 10L of water and apply through knapsack or power sprayer at the rate of 10L per 100m2 of surface area
For short term protection of freshly felled logs, poles, posts and sawn timber including <u>in situ</u> timbers	Beetle family <i>Anobiidae</i> , Beetle family <i>Bostrychidae</i> , Beetle family <i>Lyctidae</i> <u>Not WA</u>		NB –for best results apply promptly after felling or sawing operations.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.