

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 24.01.2018

Product: **Phantom® Pressurized Insecticide**

Version: 6.0

(30665435/SDS_CPA_AU/EN)

Date of print 19.02.2020

1. Substance/preparation and manufacturer/supplier identification

Phantom® Pressurized Insecticide

Use: insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Specific target organ toxicity — single exposure: Cat. 3 (Vapours may cause drowsiness and dizziness.)

Hazardous to the aquatic environment - acute: Cat. 1

Hazardous to the aquatic environment - chronic: Cat. 1

Aerosols: Cat. 2

Label elements and precautionary statement:

Pictogram:



Signal Word:
Warning

Hazard Statement:

H223	Flammable aerosol.
H229	Pressurized container: May burst if heated.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P271	Use only outdoors or in a well-ventilated area.

Precautionary Statements (Response):

P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Contains: 50 % m/m, flammable components

3. Composition/information on ingredients

Chemical nature

insecticide

Hazardous ingredients

| Chlorfenapyr

Content (W/W): 0.5 %
 CAS Number: 122453-73-0

Acute Tox.: Cat. 3 (Inhalation - dust)
 Acute Tox.: Cat. 4 (oral)
 Aquatic Acute: Cat. 1
 Aquatic Chronic: Cat. 1
 M-factor acute: 100
 M-factor chronic: 100

acetone

Content (W/W): < 50 %
 CAS Number: 67-64-1

Flam. Liq.: Cat. 2
 Eye Dam./Irrit.: Cat. 2A
 STOT SE: Cat. 3 (drowsiness and dizziness)

dimethyl ether

Content (W/W): < 20 %
 CAS Number: 115-10-6

Press. Gas: Cat. Liquef. Gas
 Flam. gases (incl. chem. unstable gases): Cat. 1

| carbon dioxide

Content (W/W): < 5 %
 CAS Number: 124-38-9

Press. Gas: Cat. Compr. Gas

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

| Call a poison control center or physician for treatment advice.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap.

| Call a poison control center or physician for treatment advice.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

(30665435/SDS_CPA_AU/EN)

Date of print 19.02.2020

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Call a poison control center or physician for treatment advice. Take patient to hospital immediately. Medical monitoring for at least 7 days.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Symptoms of poisoning may only appear after several hours or several days.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen bromide, hydrogen chloride, hydrogen fluoride, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Avoid all sources of ignition: heat, sparks, open flame. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

acetone, 67-64-1;

TWA value 250 ppm (ACGIHTLV)
STEL value 500 ppm (ACGIHTLV)
TWA value 1,185 mg/m³ ; 500 ppm (AU NOEL)
STEL value 2,375 mg/m³ ; 1,000 ppm (AU NOEL)
TWA value 1,185 mg/m³ ; 500 ppm (OEL (AU))
STEL value 2,375 mg/m³ ; 1,000 ppm (OEL (AU))

dimethyl ether, 115-10-6;

STEL value 950 mg/m³ ; 500 ppm (AU NOEL)
TWA value 760 mg/m³ ; 400 ppm (AU NOEL)
STEL value 950 mg/m³ ; 500 ppm (OEL (AU))
TWA value 760 mg/m³ ; 400 ppm (OEL (AU))

carbon dioxide, 124-38-9;

TWA value 5,000 ppm (ACGIHTLV)
STEL value 30,000 ppm (ACGIHTLV)
TWA value 9,000 mg/m³ ; 5,000 ppm (AU NOEL)
STEL value 54,000 mg/m³ ; 30,000 ppm (AU NOEL)
TWA value 9,000 mg/m³ ; 5,000 ppm (OEL (AU))
STEL value 54,000 mg/m³ ; 30,000 ppm (OEL (AU))

Personal protective equipment

Respiratory protection:
Respiratory protection not required.

Hand protection:
Chemical resistant protective gloves

Eye protection:
Eye protection not required.

Body protection:
Standard work clothes and shoes.

General safety and hygiene measures:
Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin, eyes and clothing. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Form:	liquid, aerosol
Colour:	yellow to orange
Odour:	solvent-like
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 6 - 8 (approx. 20 °C)
Melting point:	The product has not been tested.
Boiling point:	approx. 56 °C Information applies to the solvent.
Flash point:	< -28 °C (Directive 92/69/EEC, A.9)
Evaporation rate:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

BASF Safety data sheet
Date / Revised: 24.01.2018
Product: **Phantom® Pressurized Insecticide**

Version: 6.0

(30665435/SDS_CPA_AU/EN)

Ignition temperature: 530 °C

Date of print 19.02.2020
(Regulation 440/2008/EC,
A.15)Thermal decomposition: No decomposition if stored and
handled as prescribed/indicated.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Vapour pressure: approx. 7 bar
(20 °C)Density: approx. 0.94 g/cm³
(approx. 20 °C)Relative vapour density (air):
not applicable

Solubility in water: miscible

Partitioning coefficient n-octanol/water (log Pow):
not applicableViscosity, dynamic:
not determined

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as
prescribed/indicated.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 425)

LC50 rat (by inhalation): > 2.11 mg/l 4 h (OECD Guideline 403)
No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
The product has not been tested. The statement has been derived from the properties of the individual components. There is no evidence of a skin-sensitizing potential.

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: acetone

Assessment of reproduction toxicity:

As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:
Possible narcotic effects (drowsiness or dizziness).

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: acetone

Assessment of repeated dose toxicity:

The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

Has a degreasing effect on skin.

Sweating and accompanying fever, digestive problems, emesis and diarrhea are common initial clinical signs of oral ingestion. Subsequent symptoms may include tremor and convulsions, tachycardia, muscle stiffness and weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, drowsiness and sudden disturbance of consciousness, followed by coma.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr

Toxicity to fish:

BASF Safety data sheet
Date / Revised: 24.01.2018
Product: **Phantom® Pressurized Insecticide**

Version: 6.0

(30665435/SDS_CPA_AU/EN)

Date of print 19.02.2020

LC50 (96 h) 0.00744 mg/l, *Oncorhynchus mykiss* (Directive 84/449/EEC, C.1, Flow through.)

Information on: Chlorfenapyr

Aquatic invertebrates:

EC50 (96 h) 0.00203 mg/l, *Mysidopsis bahia* (Directive 84/449/EEC, C.2)

Information on: Chlorfenapyr

Aquatic plants:

EC50 (72 h) 0.132 mg/l, *Pseudokirchneriella subcapitata* (OECD Guideline 201)

No observed effect concentration (72 h) 0.020 mg/l, *Pseudokirchneriella subcapitata* (OECD Guideline 201)

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr

Bioaccumulation potential:

Bioconcentration factor: 116, *Cyprinus carpio*

Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

BASF Safety data sheet
Date / Revised: 24.01.2018
Product: **Phantom® Pressurized Insecticide**

Version: 6.0

(30665435/SDS_CPA_AU/EN)

Date of print 19.02.2020

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Emptied gas pressure vessels must not be opened.

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Proper shipping name: AEROSOLS (contains ACETONE/DIMETHYLKETONE, CHLORFENAPYR)

Further information

IERG Number:49

Sea transport

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Marine pollutant: YES
Proper shipping name: AEROSOLS (contains ACETONE/DIMETHYLKETONE, CHLORFENAPYR)

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Proper shipping name: AEROSOLS, FLAMMABLE (contains ACETONE/DIMETHYLKETONE, CHLORFENAPYR)

15. Regulatory Information

Other regulations

BASF Safety data sheet
Date / Revised: 24.01.2018
Product: **Phantom® Pressurized Insecticide**

Version: 6.0

(30665435/SDS_CPA_AU/EN)

Date of print 19.02.2020

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval Number 67325

Registration status:

AICS, AU released w/o restriction f. BASF / not listed

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.